

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1440	(character near string) near10 (generat\$5 creat\$5 produc\$5 develop\$5) near10 (digit number symbol integer numeral notation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 11:28
S3	20550	(One-way function)near10 (generat\$5 creat\$5 produc \$5 develop\$5) near10 (key private public symbol tag badge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 11:31
S4	17	S2 same S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 11:31
S5	10587	(character)near10 (generat \$5 creat\$5 produc\$5 develop \$5) near10 (digit number integer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 12:41
S6	432	S3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 12:41
S7	249	713/179.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 12:41
S9	1	S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 12:42
S10	5914	(character symbol) near10 (determination determining decision measurement) near10 (digit number integer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 15:59
S11	20160	(One-way function hashing) near10(generat\$5 creat\$5 produc\$5 develop\$5) near10 (key symbol tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 17:24

S12	147	(alphanumeric)near10 (encrypt\$5)near10 (passwarod key sign-on)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 17:28
S17	1668	(string)near10(encrypt\$5) near10 (passwarod key sign-on)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 17:37
S18	0	S10 same S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 17:38
S19	7	S10 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 17:38
S20	5	S7 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 17:49
S21	7	S10 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 17:52
S22	4244	(character symbol) near10 (determination determining) near10 (digit number integer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 17:53
S23	7	S17 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/27 17:54
S24	846	713/150.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 14:08
S25	2460	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 14:08

S26	3065	713/176.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 14:08
S27	250	713/179.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 14:08
S28	107	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 14:09
S29	8	S28 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 14:09
S30	1	S27 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/30 14:11
S31	28	713/179.ccls. and (data near3 record)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 11:48
S32	112	713/179.ccls. and (database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 11:50
S33	127	(hash\$4) same (object adj data data adj object) same (database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:34
S34	36	S33 and (record near5 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:35
S35	70	(generat\$4) with (unique adj (key code)) with (object adj data data adj object object)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 13:59

S36	36	(@ad<"20030320") and (generat\$4) with (unique adj (key code)) with (object adj data data adj object object)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 14:01
S37	1692	(@ad<"20030320") and (hash\$4) with (object adj data data adj object object)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 14:03
S38	1692	(@ad<"20030320") and ((hash\$4) with (object adj data data adj object object))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 14:03
S39	9	(@ad<"20030320") and ((hash\$4) with (columns) with (database near5 table))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 14:05
S40	0	(@ad<"20030320") and ((add\$4 append\$4) with ((hash\$4) with (columns) with (database near5 table)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 17:03
S41	7	(@ad<"20030320") and ((add\$4 append\$4) same ((hash\$4) same(columns) same(database near5 table)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 17:03
S42	1	(@ad<"20030320") and ((add\$4 append\$4) same ((hash\$4 near2 value) same (columns) same(database near5 table)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 17:55
S43	0	(@ad<"20030320") and (replac\$4) same (hash\$4 near3 column) same (database near3 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:09
S44	6	(@ad<"20030320") and (replac\$4) same (hash\$4 near3 value) same (database near3 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:10
S45	0	(@ad<"20030320") and (replac\$4) same (hash\$4 near3 code) same (database near3 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:15

S46	5	((@ad<"20030320") and (replac\$4) same (unique near3 code) same (database near3 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:16
S47	6	((@ad<"20030320") and (replac\$4) same (hash\$4 near5 value) same (database near3 table)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:16
S48	56	((@ad<"20030320") and ((hash\$4 with (column raw)) with (database))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:20
S49	1	S48 and ((replac\$4) with (column) with (hash value))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:21
S50	1	((@ad<"20030320") and (replac\$4 with column with hash adj value)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:32
S51	8	((@ad<"20030320") and (replac\$4 same column same hash adj value)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:35
S52	24	((@ad<"20030320") and ((replac\$4 substitut\$4) same (column record raw) same (hash adj (value code)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:43
S53	6	((@ad<"20030320") and ((replac\$4 substitut\$4) with (column record raw) with (hash adj (value code)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/11 18:44
S54	51743	(information near3 management) and (database data\$1base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:02
S55	673	S54 and ((hash\$4) same (data near2 records records))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:03

S56	30	(hash near2 value) same (includ\$4) same (encod\$4) same (records data near2 records)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:06
S57	9	(hash near2 value) with (includ\$4) with (encod\$4) with(records data near2 records)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:06
S58	9	(hash near2 value) with (includ\$4) with (encod\$4) with (records data near2 records)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:06
S59	20	((@ad< "20030320") and (hash\$4 near2 value) same (includ\$4) same (encod\$4) same (record\$4 data near2 record\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:13
S60	30	(hash\$4 near2 value) same (includ\$4) same (encod\$4) same (records data near2 records)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:22
S61	16	((@ad< "20030320") and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:22
S62	2374	S54 and ((hash\$4) same (data near2 records records information personal adj information personal adj records))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:33
S63	0	S62 and ((hash\$4 near2 value) with (encod\$4 near2 table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:35
S64	0	S62 and ((hash\$4 near2 value) same(encod\$4 near2 table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:35
S65	26	S62 and ((hash\$4 near2 value) and (encod\$4 near2 table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:36

S66	6	S62 and ((hash\$4 near2 value) with (include) with (encrypt\$4 near5 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:42
S67	743	(hash\$4 compress\$4) same (ASCII near2 character)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:50
S68	1	S67 and (generat\$4) with (digital adj number digit) with (ASCII near3 (code character))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:52
S69	0	S67 and (generat\$4) with (digital adj number) with (ASCII near3 (code character))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:53
S70	20143	(database near2 information) and (database near2 management)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:54
S71	580	S70 and (hash\$4 with (records row column))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:56
S72	3	S71 and (ASCII near2 character near2 codes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:58
S73	2	S71 and (hash\$4 same (ASCII near2 character near2 codes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 11:58
S74	2203	(string data) same (generat\$4 produc\$4) same ((ASCII near2 code) (ASCII adj code) (ASCII adj character))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 12:06
S75	55	(string data) same (generat\$4 produc\$4) same ((ASCII near2 code) (ASCII adj code) (ASCII adj character)) same (hash\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 12:07

S76	26	(@ad< "20030320") and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 12:07
S77	3849	(hash\$4 near2 value with (table records row cloumn))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 12:46
S78	3849	(hash\$4 near2 value) with (table records row cloumn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 12:46
S79	45	S78 and ((encrypt\$4) with (hash\$4 near2 table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 12:48
S80	3808	(encrypt\$4) with ((personal privacy rezept) near2 (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:04
S81	97	S80 and ((hash\$4) with ((personal privacy rezept) near2 (data information)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:05
S82	34	(@ad< "20030320") and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:05
S83	0	(encrypt\$4) with ((rezept) near2 (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:20
S84	0	(encrypt\$4) with ((CSV rezept) near2 (data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:20
S85	7	(encrypt\$4) with ((CSV rezept) near2 (records record table format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:21

S86	0	(information near2 managemenat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:30
S87	117187	(information near2 management)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:31
S88	1952	S87 and ((decrypt\$4) same (object object adj data data adj records data adj record record table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:32
S89	81	S88 and ((hash\$4) with (decrypt\$4 near5 (data infomation personal records row column)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:34
S90	44	((@ad< "20030320") and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:34
S91	60834	(encrypt\$4) with (personal adj data personal adj informatons informations)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:44
S92	14431	S91 and ((hash\$4 compress \$4) with (data string personal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:45
S93	14708	S91 and ((hash\$4 compress \$4) with (data string personal records rows columns))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:45
S94	56	S93 and ((replac\$4 substitut \$4) with (columns raws personal adj information personal adj data password) with (genrated near2 hash (value code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:49
S95	26	((@ad< "20030320") and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 13:49

S96	92	((@ad<"20030320") and ((hash\$4) with (hexadecimal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 14:19
S97	1	((@ad<"20030320") and ((hash\$4) with (hexadecimal) with (records raws columns)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 14:20
S98	1	((@ad<"20030320") and ((generat\$4) with (key) with (hash\$4) with (hexadecimal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 14:22
S99	1	((@ad<"20030320") and ((hash\$4) with (hexadecimal) with (generat\$4) with (key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 14:24
S100	6654	(information near3 management) and (information near3 transaction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 14:52
S101	315	S100 and (decrypt\$4) with (encrypted near5 (information personal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 14:55
S102	7	S101 and ((hash\$4 one \$1way) with (decrypted near2 value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 14:57

5/ 17/ 2009 2:45:15 PM

C:\ Documents and Settings\ asholeman\ My Documents\ EAST\ Workspaces\ 10549308.wsp